



GKB Vision Pvt. Ltd.

27-28, Pilerene Industrial Estate,

Pilerene, Bardez , Goa – 403 511

India

PRODUCT CATALOGUE

Phone : +91 - 832 - 6710404

e-mail : shailesh.dharangutti@gkb.net



Product Catalogue

INDEX

Lens Type	Color Option	Diameter Option	Pg. No.
Finished Single Vision			
1.523 Finished Single Vision	WHT	55 mm	03
1.523 Finished Single Vision	WHT	60 mm	04
1.523 Finished Single Vision	WHT	65 mm	05
1.523 Finished Single Vision	PGX /PBX	65 mm	06
1.523 Finished Single Vision	WHT	70 mm	07
1.523 Finished Single Vision	PGX/PBX	70 mm	08
1.523 Finished Single Vision Fixed Tints	GRAY 1309	65 mm & 70 mm	09
1.523 Finished Single Vision Fixed Tints	G-15	65 mm & 70 mm	09
1.523 Finished Single Vision Fixed Tints	BROWN	65 mm & 70 mm	09
1.6/42 Finished Single Vision	WHT	60 mm	10
1.6/42 Finished Single Vision	WHT	65 mm	11
1.6/42 Finished Single Vision	WHT	70 mm	12
1.7/35 Finished Single Vision	WHT	60 mm	13
1.7/35 Finished Single Vision	WHT	65 mm	14
1.7/35 Finished Single Vision	WHT	70 mm	15
1.7/42 Finished Single Vision	WHT	65 mm	16
1.7/42 Finished Single Vision	WHT	70 mm	17
1.8/35 Finished Single Vision	WHT	65 mm	18
1.8/35 Finished Single Vision	WHT	70 mm	19
Finished Aspheric			
1.604 Finished Aspheric	WHT	60 mm	20
1.604 Finished Aspheric	WHT	65 mm	21
Semi-Finished Single Vision			
1.523 Semi-Finished Single Vision	WHT	50 mm , 60 mm , 65 mm , 70 mm & 75 mm	22
1.523 Semi-Finished Single Vision	PGX / PBX	65 mm & 70 mm	23
1.523 Semi-Finished Single Vision Fixed Tints	GRAY 1309	70 mm	23
1.523 Semi-Finished Single Vision Fixed Tints	G-15	70 mm	23
1.523 Semi-Finished Single Vision Fixed Tints	BROWN	70 mm	23
1.60/42 Semi-Finished Single Vision	WHT	60 mm ,65 mm , 70 mm & 75 mm	24
1.60/45 Semi-Finished Single Vision	PGX	60 mm , 65 mm & 70 mm	25
1.60/45 Semi-Finished Single Vision	PBX	65 mm & 70 mm	25
1.70/35 Semi-Finished Single Vision	WHT	60 mm , 65 mm & 70 mm	26
1.70/42 Semi-Finished Single Vision	WHT	60 mm , 65 mm & 70 mm	27
1.80 Semi-Finished Single Vision	WHT	60 mm , 65 mm & 70 mm	28
1.90 Semi-Finished Single Vision	WHT	60 mm & 65 mm	28
Semi-Finished Bifocal			
1.523 Semi-Finished Bifocal C-25	WHT / PGX / PBX	65 mm & 70 mm	29
1.523 Semi-Finished Bifocal C-28	WHT / PGX / PBX	65 mm & 70 mm	29
1.523 Semi-Finished Bifocal D-25	WHT / PGX / PBX	65 mm & 70 mm	30
1.523 Semi-Finished Bifocal D-28	WHT / PGX / PBX	65 mm & 70 mm	30
1.523 Semi-Finished Bifocal KT-28	WHT / PGX / PBX	65 mm	30
1.523 Semi-Finished Bifocal D-35	WHT / PGX	65 mm & 70 mm	31
1.523 Semi-Finished Trifocal 8C28	WHT	65 mm	31
1.523 Semi-Finished Trifocal 7D28	WHT / PGX	65 mm & 70 mm	31
1.60 Semi-Finished Bifocal C-25	WHT	70 mm	32
1.60 Semi-Finished Bifocal C-28	WHT	70 mm	32
Semi-Finished Aspheric			
1.604 Semi-Finished Aspheric	WHT	60 mm , 65 mm & 70 mm	33
Semi-Finished Progressive			
1.5 Semi-Finished Progressive [MFH=18 mm]	WHT / PGX / PBX	70 mm	34
1.5 Semi-Finished Progressive [MFH=15 mm]	WHT / PGX / PBX	70 mm	34
1.6 Semi-Finished Progressive [MFH=18 mm]	WHT / PBX	70 mm	34
1.7 Semi-Finished Progressive [MFH=18 mm]	WHT	65 mm	34
1.8 Semi-Finished Progressive [MFH=18 mm]	WHT	65 mm	34



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.523	WHITE
--------------	--	----------	-------

55 MM										55 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.5	2.6	-0.25			1.9	2.0	2.1	2.2	2.3	2.4	2.5
+0.25	1.9	2.0	2.1	2.2	2.3	2.4	2.5	2.6	2.7	-0.50					2.0	2.1	2.2	2.3	2.4
+0.50	2.0	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	-0.75									
+0.75	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	3.0	-1.00									
+1.00	2.2	2.3	2.4	2.5	2.6	2.7	2.8	3.0	3.2										
+1.25	2.3	2.4	2.5	2.6	2.7	2.8	3.0	3.2	3.4										
+1.50	2.4	2.5	2.6	2.7	2.8	3.0	3.2	3.4	3.6										
+1.75	2.5	2.6	2.7	2.8	3.0	3.2	3.4	3.6	3.7										
+2.00	2.6	2.7	2.8	3.0	3.2	3.4	3.6	3.7	3.9										
+2.25	2.7	2.8	3.0	3.2	3.4	3.6	3.7	3.9	4.2										
+2.50	2.8	3.0	3.2	3.4	3.6	3.7	3.9	4.2	4.3										
+2.75	3.0	3.2	3.4	3.6	3.7	3.9	4.2	4.3	4.5										
+3.00	3.2	3.4	3.6	3.7	3.9	4.2	4.3	4.5	4.7										
+3.25	3.4	3.6	3.7	3.9	4.2	4.3	4.5												
+3.50	3.6	3.7	3.9	4.2	4.3	4.5	4.7												
+3.75	3.7	3.9	4.2	4.3	4.5														
+4.00	3.9	4.2	4.3	4.5	4.7														
+4.25	4.2	4.3	4.5	4.7	4.9														
+4.50	4.3	4.5	4.7	4.9	5.1														
+4.75	4.5	4.7	4.9	5.1	5.3														
+5.00	4.7	4.9	5.1	5.3	5.5														
+5.25	4.9	5.1	5.3	5.5															
+5.50	5.1	5.3	5.5																
+5.75	5.3	5.5																	
+6.00	5.5																		
+6.25																			
+6.50																			
+6.75																			
+7.00																			
+7.25																			
+7.50																			
+7.75																			
+8.00																			



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.523	WHITE
--------------	--	----------	-------

	60 MM													60 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.6	2.8	3.0	3.2	3.5	3.6	-0.25			1.9	2.0	2.1	2.2	2.3	2.5	2.6
+0.25	1.9	2.0	2.1	2.2	2.3	2.5	2.6	2.8	3.0	3.2	3.5	3.6	3.9	-0.50				1.9	2.0	2.1	2.2	2.3	2.5
+0.50	2.0	2.1	2.2	2.3	2.5	2.6	2.8	3.0	3.2	3.5	3.6	3.9	4.1	-0.75					1.9	2.0	2.1	2.2	2.3
+0.75	2.1	2.2	2.3	2.5	2.6	2.8	3.0	3.2	3.5	3.6	3.9	4.1	4.3	-1.00					1.9	2.0	2.1	2.2	
+1.00	2.2	2.3	2.5	2.6	2.8	3.0	3.2	3.5	3.6	3.9	4.1	4.3	4.5	-1.25						1.9	2.0	2.1	
+1.25	2.3	2.5	2.6	2.8	3.0	3.2	3.5	3.6	3.9	4.1	4.3	4.5	4.8	-1.50								1.9	2.0
+1.50	2.5	2.6	2.8	3.0	3.2	3.5	3.6	3.9	4.1	4.3	4.5	4.8	5.0	-1.75									1.9
+1.75	2.6	2.8	3.0	3.2	3.5	3.6	3.9	4.1	4.3														
+2.00	2.8	3.0	3.2	3.5	3.6	3.9	4.1	4.3	4.5														
+2.25	3.0	3.2	3.5	3.6	3.9	4.1	4.3	4.5	4.8														
+2.50	3.2	3.5	3.6	3.9	4.1	4.3	4.5	4.8	5.0														
+2.75	3.5	3.6	3.9	4.1	4.3	4.5	4.8	5.0	5.2														
+3.00	3.6	3.9	4.1	4.3	4.5	4.8	5.0	5.2	5.4														
+3.25	3.9	4.1	4.3	4.5	4.8	5.0	5.2	5.4	5.7														
+3.50	4.1	4.3	4.5	4.8	5.0	5.2	5.4	5.7	5.9														
+3.75	4.3	4.5	4.8	5.0	5.2	5.4	5.7	5.9	6.1														
+4.00	4.5	4.8	5.0	5.2	5.4	5.7	5.9	6.1	6.3														
+4.25	4.8	5.0	5.2	5.4	5.7	5.9	6.1	6.3	6.7														
+4.50	5.0	5.2	5.4	5.7	5.9	6.1	6.3	6.7	6.9														
+4.75	5.2	5.4	5.7	5.9	6.1	6.3	6.7	6.9	7.1														
+5.00	5.4	5.7	5.9	6.1	6.3	6.7	6.9	7.1	7.3														
+5.25	5.7	5.9	6.1	6.3	6.7	6.9	7.1	7.3	7.6														
+5.50	5.9	6.1	6.3	6.7	6.9	7.1	7.3	7.6	7.8														
+5.75	6.1	6.3	6.7	6.9	7.1	7.3	7.6	7.8	8.0														
+6.00	6.3	6.7	6.9	7.1	7.3	7.6	7.8	8.0	8.3														
+6.25	6.7																						
+6.50	6.9																						
+6.75	7.1																						
+7.00	7.3																						
+7.25	7.6																						
+7.50	7.8																						
+7.75	8.0																						
+8.00	8.3																						



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.523	WHITE
--------------	--	--	--	--	--	--	--	--	--	--	----------	-------

65 MM										65 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.9	2.0	2.1	2.2	2.3	2.5	2.8	2.9	3.1	-0.25	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.8	2.9
+0.25	2.0	2.1	2.2	2.3	2.5	2.8	2.9	3.1	3.3	-0.50	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.8
+0.50	2.1	2.2	2.3	2.5	2.8	2.9	3.1	3.3	3.6	-0.75	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5
+0.75	2.2	2.3	2.5	2.8	2.9	3.1	3.3	3.6	3.9	-1.00	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3
+1.00	2.3	2.5	2.8	2.9	3.1	3.3	3.6	3.9	4.1	-1.25	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2
+1.25	2.5	2.8	2.9	3.1	3.3	3.6	3.9	4.1	4.4	-1.50	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.1
+1.50	2.8	2.9	3.1	3.3	3.6	3.9	4.1	4.4	4.7	-1.75	1.4	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0
+1.75	2.9	3.1	3.3	3.6	3.9	4.1	4.4	4.7	4.9	-2.00	1.4	1.4	1.4	1.5	1.5	1.6	1.7	1.8	1.9
+2.00	3.1	3.3	3.6	3.9	4.1	4.4	4.7	4.9	5.2	-2.25	1.3	1.4	1.4	1.4	1.5	1.5	1.6	1.7	1.8
+2.25	3.3	3.6	3.9	4.1	4.4	4.7	4.9	5.2	5.5	-2.50	1.3	1.3	1.4	1.4	1.4	1.5	1.5	1.6	1.7
+2.50	3.6	3.9	4.1	4.4	4.7	4.9	5.2	5.5	5.7	-2.75	1.2	1.3	1.3	1.4	1.4	1.4	1.5	1.5	1.6
+2.75	3.9	4.1	4.4	4.7	4.9	5.2	5.5	5.7	6.0	-3.00	1.2	1.2	1.3	1.3	1.4	1.4	1.4	1.5	1.5
+3.00	4.1	4.4	4.7	4.9	5.2	5.5	5.7	6.0	6.3	-3.25	1.2	1.2	1.2	1.3	1.3	1.4	1.4	1.4	1.5
+3.25	4.4	4.7	4.9	5.2	5.5	5.7	6.0	6.3	6.6	-3.50	1.2	1.2	1.2	1.2	1.3	1.3	1.4	1.4	1.4
+3.50	4.7	4.9	5.2	5.5	5.7	6.0	6.3	6.6	6.8	-3.75	1.2	1.2	1.2	1.2	1.2	1.3	1.3	1.4	1.4
+3.75	4.9	5.2	5.5	5.7	6.0	6.3	6.6	6.8	7.1	-4.00	1.2	1.2	1.2	1.2	1.2	1.2	1.3	1.3	1.4
+4.00	5.2	5.5	5.7	6.0	6.3	6.6	6.8	7.1	7.4	-4.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.3	1.3
+4.25	5.5	5.7	6.0	6.3	6.6	6.8	7.1	7.4	7.7	-4.50	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.3
+4.50	5.7	6.0	6.3	6.6	6.8	7.1	7.4	7.7	7.9	-4.75	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+4.75	6.0	6.3	6.6	6.8	7.1	7.4	7.7	7.9	8.2	-5.00	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.00	6.3	6.6	6.8	7.1	7.4	7.7	7.9			-5.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.25	6.6	6.8	7.1	7.4	7.7	7.9				-5.50	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.50	6.8	7.1	7.4	7.7	7.9					-5.75	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.75	7.1	7.4	7.7	7.9						-6.00	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+6.00	7.4	7.7	7.9							-6.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+6.25	7.7	7.9								-6.50	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+6.50	7.9									-6.75	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+6.75	8.2									-7.00	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+7.00	8.4									-7.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+7.25	8.8									-7.50	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+7.50	9.1									-7.75	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+7.75	9.4									-8.00	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+8.00	9.6																		



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.523	PGX / PBX
--------------	--	--	--	--	--	--	--	--	--	--	----------	-----------

65 MM										65 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	2.0	2.1	2.2	2.2	2.3	2.4	2.6	2.9	3.1	-0.25	1.8	1.9	1.9	2.0	2.1	2.2	2.4	2.6	2.9
+0.25	2.1	2.2	2.3	2.3	2.5	2.6	2.9	3.1	3.3	-0.50	1.7	1.7	1.8	1.9	2.0	2.1	2.2	2.4	2.6
+0.50	2.1	2.2	2.3	2.5	2.6	2.9	3.1	3.3	3.6	-0.75	1.6	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.4
+0.75	2.2	2.3	2.5	2.6	2.9	3.1	3.3	3.6	3.8	-1.00	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2
+1.00	2.3	2.5	2.6	2.9	3.1	3.3	3.6	3.8	4.1	-1.25	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.1
+1.25	2.5	2.6	2.9	3.1	3.3	3.6	3.8	4.1	4.4	-1.50	1.4	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0
+1.50	2.6	2.9	3.1	3.3	3.6	3.8	4.1	4.4	4.6	-1.75	1.4	1.4	1.4	1.5	1.5	1.6	1.7	1.8	1.9
+1.75	2.9	3.1	3.3	3.6	3.8	4.1	4.4	4.6	4.9	-2.00	1.4	1.4	1.4	1.4	1.5	1.5	1.6	1.7	1.8
+2.00	3.1	3.3	3.6	3.8	4.1	4.4	4.6	4.9	5.2	-2.25	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.6	1.7
+2.25	3.3	3.6	3.8	4.1	4.4	4.6	4.9	5.2	5.5	-2.50	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.6
+2.50	3.6	3.8	4.1	4.4	4.6	4.9	5.2	5.5	5.8	-2.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5
+2.75	3.8	4.1	4.4	4.6	4.9	5.2	5.5	5.8	6.0	-3.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.5
+3.00	4.1	4.4	4.6	4.9	5.2	5.5	5.8	6.0	6.3	-3.25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+3.25	4.4	4.6	4.9	5.2	5.5	5.8	6.0	6.3	6.5	-3.50	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+3.50	4.6	4.9	5.2	5.5	5.8	6.0	6.3	6.5	6.8	-3.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+3.75	4.9	5.2	5.5	5.8	6.0	6.3	6.5	6.8	7.0	-4.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+4.00	5.2	5.5	5.8	6.0	6.3	6.5	6.8	7.0	7.2	-4.25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+4.25	5.5	5.8	6.0	6.3	6.5					-4.50	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+4.50	5.8	6.0	6.3	6.5	6.8					-4.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+4.75	6.0	6.3	6.5	6.8	7.0					-5.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.00	6.3	6.5	6.8	7.0	7.2					-5.25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.25	6.5									-5.50	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.50	6.8									-5.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.75	7.0									-6.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+6.00	7.2									-6.25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+6.25										-6.50	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+6.50										-6.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+6.75										-7.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+7.00										-7.25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+7.25										-7.50	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+7.50										-7.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+7.75										-8.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+8.00																			



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.523	WHT
--------------	--	--	--	--	--	--	--	--	--	--	----------	-----

70 MM										70 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.9	2.0	2.2	2.3	2.5	2.7	3.0	3.2	3.4	-0.25	1.8	1.9	2.0	2.2	2.3	2.4	2.6	2.8	3.1
+0.25	2.0	2.2	2.3	2.5	2.7	3.0	3.2	3.4	3.7	-0.50	1.7	1.8	1.9	2.0	2.2	2.3	2.4	2.6	2.8
+0.50	2.2	2.3	2.5	2.7	3.0	3.2	3.4	3.7	4.0	-0.75	1.6	1.7	1.8	1.9	2.0	2.2	2.3	2.4	2.6
+0.75	2.3	2.5	2.7	3.0	3.2	3.4	3.7	4.0	4.4	-1.00	1.5	1.6	1.7	1.8	1.9	2.0	2.2	2.3	2.4
+1.00	2.5	2.7	3.0	3.2	3.4	3.7	4.0	4.4	4.7	-1.25	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.2	2.3
+1.25	2.7	3.0	3.2	3.4	3.7	4.0	4.4	4.7	5.0	-1.50	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.2
+1.50	3.0	3.2	3.4	3.7	4.0	4.4	4.7	5.0	5.3	-1.75	1.4	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0
+1.75	3.2	3.4	3.7	4.0	4.4	4.7	5.0	5.3	5.6	-2.00	1.4	1.4	1.4	1.5	1.5	1.6	1.7	1.8	1.9
+2.00	3.4	3.7	4.0	4.4	4.7	5.0	5.3	5.6	5.9	-2.25	1.3	1.4	1.4	1.4	1.5	1.5	1.6	1.7	1.8
+2.25	3.7	4.0	4.4	4.7	5.0	5.3	5.6	5.9	6.2	-2.50	1.3	1.3	1.4	1.4	1.4	1.5	1.5	1.6	1.7
+2.50	4.0	4.4	4.7	5.0	5.3	5.6	5.9	6.2	6.4	-2.75	1.2	1.3	1.3	1.4	1.4	1.4	1.5	1.5	1.6
+2.75	4.4	4.7	5.0	5.3	5.6	5.9	6.2	6.4	6.7	-3.00	1.2	1.2	1.3	1.3	1.4	1.4	1.4	1.5	1.5
+3.00	4.7	5.0	5.3	5.6	5.9	6.2	6.4	6.7	7.1	-3.25	1.2	1.2	1.2	1.3	1.3	1.4	1.4	1.4	1.5
+3.25	5.0	5.3	5.6	5.9	6.2	6.4	6.7	7.1	7.4	-3.50	1.2	1.2	1.2	1.2	1.3	1.3	1.4	1.4	1.4
+3.50	5.3	5.6	5.9	6.2	6.4	6.7	7.1	7.4	7.6	-3.75	1.2	1.2	1.2	1.2	1.2	1.3	1.3	1.4	1.4
+3.75	5.6	5.9	6.2	6.4	6.7	7.1	7.4	7.6	8.0	-4.00	1.2	1.2	1.2	1.2	1.2	1.2	1.3	1.3	1.4
+4.00	5.9	6.2	6.4	6.7	7.1	7.4	7.6	8.0	8.3	-4.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.3	1.3
+4.25	6.2	6.4	6.7	7.1	7.4					-4.50	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.3
+4.50	6.4	6.7	7.1	7.4	7.6					-4.75	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+4.75	6.7									-5.00	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.00	7.1									-5.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.25	7.4									-5.50	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.50	7.6									-5.75	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+5.75										-6.00	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
+6.00										-6.25									
+6.25										-6.50									
+6.50										-6.75									
+6.75										-7.00									
+7.00										-7.25									
+7.25										-7.50									
+7.50										-7.75									
+7.75										-8.00									
+8.00																			



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.523	PGX / PBX						
--------------	--	--	--	--	--	--	--	--	--	--	----------	-----------	--	--	--	--	--	--

70 MM										70 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	2.1	2.2	2.3	2.5	2.7	2.9	3.2	3.5	3.8	-0.25	1.9	2.0	2.1	2.2	2.3	2.4	2.6	2.8	3.1
+0.25	2.2	2.3	2.5	2.7	2.9	3.2	3.5	3.8	4.0	-0.50	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.6	2.8
+0.50	2.3	2.5	2.7	2.9	3.2	3.5	3.8	4.0	4.4	-0.75	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.6
+0.75	2.5	2.7	2.9	3.2	3.5	3.8	4.0	4.4	4.7	-1.00	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4
+1.00	2.7	2.9	3.2	3.5	3.8	4.0	4.4	4.7	4.9	-1.25	1.6	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3
+1.25	2.9	3.2	3.5	3.8	4.0	4.4	4.7	4.9	5.2	-1.50	1.5	1.6	1.6	1.7	1.8	1.9	2.0	2.1	2.2
+1.50	3.2	3.5	3.8	4.0	4.4	4.7	4.9	5.2	5.5	-1.75	1.5	1.5	1.6	1.6	1.7	1.8	1.9	2.0	2.1
+1.75	3.5	3.8	4.0	4.4	4.7	4.9	5.2	5.5	5.9	-2.00	1.5	1.5	1.5	1.6	1.6	1.7	1.8	1.9	2.0
+2.00	3.8	4.0	4.4	4.7	4.9	5.2	5.5	5.9	6.2	-2.25	1.5	1.5	1.5	1.5	1.6	1.6	1.7	1.8	1.9
+2.25	4.0	4.4	4.7	4.9	5.2	5.5	5.9	6.2	6.4	-2.50	1.5	1.5	1.5	1.5	1.5	1.6	1.6	1.7	1.8
+2.50	4.4	4.7	4.9	5.2	5.5	5.9	6.2	6.4	6.7	-2.75	1.4	1.5	1.5	1.5	1.5	1.5	1.6	1.6	1.7
+2.75	4.7	4.9	5.2	5.5	5.9	6.2	6.4	6.7		-3.00	1.4	1.4	1.5	1.5	1.5	1.5	1.5	1.6	1.6
+3.00	4.9	5.2	5.5	5.9	6.2	6.4	6.7			-3.25	1.4	1.4	1.4	1.5	1.5	1.5	1.5	1.5	1.6
+3.25	5.2	5.5	5.9	6.2	6.4	6.7				-3.50	1.4	1.4	1.4	1.4	1.5	1.5	1.5	1.5	1.5
+3.50	5.5	5.9	6.2	6.4	6.7					-3.75	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.5	1.5
+3.75	5.9	6.2	6.4	6.7	6.9					-4.00	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.5
+4.00	6.2	6.4	6.7	6.9	7.2					-4.25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5
+4.25										-4.50	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.5
+4.50										-4.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+4.75										-5.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.00										-5.25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.25										-5.50	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.50										-5.75	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+5.75										-6.00	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
+6.00										-6.25									
+6.25										-6.50									
+6.50										-6.75									
+6.75										-7.00									
+7.00										-7.25									
+7.25										-7.50									
+7.50										-7.75									
+7.75										-8.00									
+8.00																			



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.523	FIXED TINTS*
--------------	--	--	--	--	--	--	--	--	--	--	----------	--------------

65 MM & 70 MM											65 MM & 70 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00		Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	2.0										-0.25									
+0.25											-0.50									
+0.50											-0.75									
+0.75											-1.00									
+1.00											-1.25									
+1.25											-1.50									
+1.50											-1.75									
+1.75											-2.00									
+2.00											-2.25									
+2.25											-2.50									
+2.50											-2.75									
+2.75											-3.00									
+3.00											-3.25									
+3.25											-3.50									
+3.50											-3.75									
+3.75											-4.00									
+4.00											-4.25									
+4.25											-4.50									
+4.50											-4.75									
+4.75											-5.00									
+5.00											-5.25									
+5.25											-5.50									
+5.50											-5.75									
+5.75											-6.00									
+6.00											-6.25									
+6.25											-6.50									
+6.50											-6.75									
+6.75											-7.00									
+7.00											-7.25									
+7.25											-7.50									
+7.50											-7.75									
+7.75											-8.00									
+8.00																				

*Available in GRAY 1309 / G-15 / BROWN



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.6/42	WHT
--------------	--	-----------	-----

60 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.7	1.7	1.7	1.8	1.9				
+0.25	1.7	1.8	1.8	1.9	1.9				
+0.50	1.8	1.9	1.9	1.9	2.1				
+0.75	1.9	2.0	1.9	2.1	2.2				
+1.00	2.0	2.0	2.1	2.2	2.4				
+1.25	2.0	2.1	2.2	2.4	2.5				
+1.50	2.1	2.2	2.4	2.5	2.6				
+1.75	2.2	2.4	2.5	2.6	2.9				
+2.00	2.4	2.5	2.6	2.9	3.0				
+2.25	2.5	2.6	2.9	3.0	3.1				
+2.50	2.6	2.9	3.0	3.1	3.3				
+2.75	2.9	3.0	3.1	3.3	3.6				
+3.00	3.0	3.1	3.3	3.6	3.7				
+3.25	3.1	3.3	3.6	3.7	4.0				
+3.50	3.3	3.6	3.7	4.0	4.1				
+3.75	3.6	3.7	4.0	4.1	4.3				
+4.00	3.7	4.0	4.1	4.3	4.4				
+4.25	4.0								
+4.50	4.1								
+4.75	4.3								
+5.00	4.4								
+5.25	4.7								
+5.50	4.8								
+5.75	5.0								
+6.00	5.2								
+6.25									
+6.50									
+6.75									
+7.00									
+7.25									
+7.50									
+7.75									
+8.00									



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.6/42	WHT
--------------	--	--	--	--	--	--	--	--	--	--	-----------	-----

65 MM										65 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.8	1.9	1.9	2.0	2.1	2.2	2.4	2.6	2.8	-0.25	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.7
+0.25	1.9	2.0	2.0	2.1	2.2	2.4	2.6	2.8	2.9	-0.50	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5
+0.50	2.0	2.1	2.1	2.2	2.4	2.6	2.8	2.9	3.1	-0.75	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3
+0.75	2.1	2.2	2.2	2.4	2.6	2.8	2.9	3.1	3.4	-1.00	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2
+1.00	2.2	2.3	2.4	2.6	2.8	2.9	3.1	3.4	3.6	-1.25	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1
+1.25	2.3	2.4	2.6	2.8	2.9	3.1	3.4	3.6	3.8	-1.50	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0
+1.50	2.4	2.6	2.8	2.9	3.1	3.4	3.6	3.8	4.0	-1.75	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9
+1.75	2.6	2.8	2.9	3.1	3.4	3.6	3.8	4.0	4.3	-2.00	1.1	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8
+2.00	2.8	2.9	3.1	3.4	3.6	3.8	4.0	4.3	4.5	-2.25	1.1	1.1	1.1	1.2	1.3	1.4	1.5	1.6	1.7
+2.25	2.9	3.1	3.4	3.6	3.8	4.0	4.3	4.5	4.8	-2.50	1.1	1.1	1.1	1.1	1.2	1.3	1.4	1.5	1.6
+2.50	3.1	3.4	3.6	3.8	4.0	4.3	4.5	4.8	5.0	-2.75	1.1	1.1	1.1	1.1	1.1	1.2	1.3	1.4	1.5
+2.75	3.4	3.6	3.8	4.0	4.3	4.5	4.8	5.0	5.2	-3.00	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.3	1.4
+3.00	3.6	3.8	4.0	4.3	4.5	4.8	5.0	5.2	5.4	-3.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.3
+3.25	3.8	4.0	4.3	4.5	4.8	5.0	5.2	5.4	5.7	-3.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.2
+3.50	4.0	4.3	4.5	4.8	5.0	5.2	5.4	5.7	5.9	-3.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+3.75	4.3	4.5	4.8	5.0	5.2	5.4	5.7	5.9	6.1	-4.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.00	4.5	4.8	5.0	5.2	5.4	5.7	5.9	6.1	6.3	-4.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.25	4.8	5.0	5.2	5.4	5.7	5.9	6.1	6.3		-4.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.50	5.0	5.2	5.4	5.7	5.9	6.1	6.3			-4.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.75	5.2	5.4	5.7	5.9	6.1	6.3				-5.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.00	5.4	5.7	5.9	6.1	6.3					-5.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.25	5.7	5.9	6.1	6.3						-5.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.50	5.9	6.1	6.3							-5.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.75	6.1	6.3								-6.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+6.00	6.3									-6.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+6.25	6.5									-6.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+6.50	6.8									-6.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+6.75	7.0									-7.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+7.00	7.3									-7.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+7.25										-7.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+7.50										-7.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+7.75										-8.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+8.00										-8.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
										-8.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
										-8.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
										-9.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
										-9.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
										-9.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
										-9.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
										-10.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.6/42	WHT
--------------	--	--	--	--	--	--	--	--	--	--	-----------	-----

70 MM										70 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.7	3.0	-0.25	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.7
+0.25	1.9	2.0	2.1	2.2	2.3	2.5	2.7	3.0	3.3	-0.50	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5
+0.50	2.0	2.1	2.2	2.3	2.5	2.7	3.0	3.3	3.6	-0.75	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3
+0.75	2.1	2.2	2.3	2.5	2.7	3.0	3.3	3.6	3.9	-1.00	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2
+1.00	2.2	2.3	2.5	2.7	3.0	3.3	3.6	3.9	4.1	-1.25	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1
+1.25	2.3	2.5	2.7	3.0	3.3	3.6	3.9	4.1	4.4	-1.50	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0
+1.50	2.5	2.7	3.0	3.3	3.6	3.9	4.1	4.4	4.7	-1.75	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9
+1.75	2.7	3.0	3.3	3.6	3.9	4.1	4.4	4.7	5.0	-2.00	1.1	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8
+2.00	3.0	3.3	3.6	3.9	4.1	4.4	4.7	5.0	5.3	-2.25	1.1	1.1	1.1	1.2	1.3	1.4	1.5	1.6	1.7
+2.25	3.3	3.6	3.9	4.1	4.4	4.7	5.0	5.3	5.6	-2.50	1.1	1.1	1.1	1.1	1.2	1.3	1.4	1.5	1.6
+2.50	3.6	3.9	4.1	4.4	4.7	5.0	5.3	5.6	5.9	-2.75	1.1	1.1	1.1	1.1	1.1	1.2	1.3	1.4	1.5
+2.75	3.9	4.1	4.4	4.7	5.0	5.3	5.6	5.9	6.2	-3.00	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.3	1.4
+3.00	4.1	4.4	4.7	5.0	5.3	5.6	5.9	6.2	6.5	-3.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.3
+3.25	4.4	4.7	5.0	5.3	5.6	5.9	6.2	6.5	6.8	-3.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.2
+3.50	4.7	5.0	5.3	5.6	5.9	6.2	6.5	6.8	7.1	-3.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+3.75	5.0	5.3	5.6	5.9	6.2	6.5	6.8	7.1	7.4	-4.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.00	5.3	5.6	5.9	6.2	6.5	6.8	7.1	7.4	7.7	-4.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.25	5.6	6.0	6.2	6.5	6.8	7.1	7.4	7.7		-4.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.50	5.9	6.2	6.5	6.8	7.1	7.4	7.7			-4.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+4.75	6.2	6.5	6.8	7.1	7.4	7.7				-5.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.00	6.5	6.8	7.1	7.4	7.7					-5.25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.25	6.8	7.1	7.4	7.7						-5.50	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.50	7.1	7.4	7.7							-5.75	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+5.75	7.4	7.7								-6.00	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
+6.00	7.7									-6.25									
+6.25										-6.50									
+6.50										-6.75									
+6.75										-7.00									
+7.00										-7.25									
+7.25										-7.50									
+7.50										-7.75									
+7.75										-8.00									
+8.00																			



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.7/35	WHT
--------------	--	--	--	--	--	--	--	--	--	--	-----------	-----

60 MM										60 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
-2.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-10.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-2.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-10.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-2.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-10.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-11.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-11.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-11.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-11.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-12.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-4.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-4.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-10.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.7/35	WHT
--------------	--	-----------	-----

65 MM										65 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
-2.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	-10.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-2.50	1.1	1.1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	-10.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-2.75	1.0	1.1	1.1	1.2	1.2	1.2	1.2	1.2	1.2	-10.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.00	1.0	1.0	1.1	1.1	1.2	1.2	1.2	1.2	1.2	-11.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.25	1.0	1.0	1.0	1.1	1.1	1.2	1.2	1.2	1.2	-11.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.50	1.0	1.0	1.0	1.0	1.1	1.1	1.2	1.2	1.2	-11.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.75	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.2	1.2	-11.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.00	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.2	-12.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	-12.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	-12.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-12.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-16.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-10.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.7/35	WHT
--------------	--	-----------	-----

70 MM										70 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
-2.25	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	-10.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-2.50	1.1	1.1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	-10.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-2.75	1.0	1.1	1.1	1.2	1.2	1.2	1.2	1.2	1.2	-10.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.00	1.0	1.0	1.1	1.1	1.2	1.2	1.2	1.2	1.2	-11.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.25	1.0	1.0	1.0	1.1	1.1	1.2	1.2	1.2	1.2	-11.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.50	1.0	1.0	1.0	1.0	1.1	1.1	1.2	1.2	1.2	-11.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-3.75	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.2	1.2	-11.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.00	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.2	-12.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1										
-4.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1										
-4.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-5.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-6.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-7.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-10.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.7/42	WHT
--------------	--	--	--	--	--	--	--	--	--	--	-----------	-----

65 MM													
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00
-1.00	1.2	1.3	1.4	1.5	1.6								
-1.25	1.2	1.2	1.3	1.4	1.5								
-1.50	1.2	1.2	1.2	1.3	1.4								
-1.75	1.2	1.2	1.2	1.2	1.3								
-2.00	1.1	1.2	1.2	1.2	1.2	1.3	1.4	1.5	1.6				
-2.25	1.1	1.1	1.2	1.2	1.2	1.2	1.3	1.4	1.5				
-2.50	1.1	1.1	1.1	1.2	1.2	1.2	1.2	1.3	1.4				
-2.75	1.0	1.1	1.1	1.1	1.2	1.2	1.2	1.2	1.3				
-3.00	1.0	1.0	1.1	1.1	1.1	1.2	1.2	1.2	1.2				
-3.25	1.0	1.0	1.0	1.1	1.1	1.1	1.2	1.2	1.2				
-3.50	1.0	1.0	1.0	1.0	1.1	1.1	1.1	1.2	1.2				
-3.75	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.1	1.2				
-4.00	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.1				
-4.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1				
-4.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1				
-4.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-5.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.1
-5.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1
-5.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1
-5.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-8.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-8.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-9.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-9.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-9.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-9.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-10.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-10.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-10.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-10.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
-11.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.7/42	WHT
--------------	--	-----------	-----

70 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
-2.25									
-2.50									
-2.75									
-3.00	1.0	1.0	1.1	1.1	1.1				
-3.25	1.0	1.0	1.0	1.1	1.1				
-3.50	1.0	1.0	1.0	1.0	1.1				
-3.75	1.0	1.0	1.0	1.0	1.0				
-4.00	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.1
-4.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1
-4.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1
-4.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.25									
-8.50									
-8.75									
-9.00									
-9.25									
-9.50									
-9.75									
-10.00									



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION										RI 1.8/35	WHT
--------------	--	--	--	--	--	--	--	--	--	--	-----------	-----

65 MM										65 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
-4.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-12.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-12.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-12.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-13.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-14.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-15.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	-16.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-8.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-9.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-10.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-10.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-10.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-10.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-11.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-11.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-11.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-11.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										
-12.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0										



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED SINGLE VISION TECHNICAL SPECIFICATION								RI 1.8/35	WHT
--------------	--	--	--	--	--	--	--	--	-----------	-----

70 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
-4.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-4.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-5.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-6.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-7.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-8.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-9.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-9.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-9.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-9.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-10.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-10.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-10.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-10.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-11.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-11.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-11.50	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-11.75	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
-12.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED ASPHERICS TECHNICAL SPECIFICATION								RI 1.604	WHITE
--------------	--	--	--	--	--	--	--	--	----------	-------

60 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.70	1.70	1.80	1.90	2.00	2.00	2.10	2.20	2.40
+0.25	1.70	1.80	1.90	2.00	2.00	2.10	2.20	2.40	2.50
+0.50	1.80	1.90	2.00	2.00	2.10	2.20	2.40	2.50	2.70
+0.75	1.90	2.00	2.00	2.10	2.20	2.40	2.50	2.70	2.90
+1.00	2.00	2.00	2.10	2.20	2.40	2.50	2.70	2.90	3.10
+1.25	2.00	2.10	2.20	2.40	2.50	2.70	2.90	3.10	3.20
+1.50	2.10	2.20	2.40	2.50	2.70	2.90	3.10	3.20	3.40
+1.75	2.20	2.40	2.50	2.70	2.90	3.10	3.20	3.40	3.60
+2.00	2.40	2.50	2.70	2.90	3.10	3.20	3.40	3.60	3.70
+2.25	2.50	2.70	2.90	3.10	3.20	3.40	3.60	3.70	3.80
+2.50	2.70	2.90	3.10	3.20	3.40	3.60	3.70	3.80	4.20
+2.75	2.90	3.10	3.20	3.40	3.60	3.70	3.80	4.20	4.30
+3.00	3.10	3.20	3.40	3.60	3.70	3.80	4.20	4.30	4.50
+3.25	3.20	3.40	3.60	3.70	3.80	4.20	4.30	4.50	4.70
+3.50	3.40	3.60	3.70	3.80	4.20	4.30	4.50	4.70	4.80
+3.75	3.60	3.70	3.80	4.20	4.30	4.50	4.70	4.80	5.00
+4.00	3.70	3.80	4.20	4.30	4.50	4.70	4.80	5.00	5.20
+4.25	3.80	4.20	4.30	4.50	4.70	4.80	5.00	5.20	5.40
+4.50	4.20	4.30	4.50	4.70	4.80	5.00	5.20	5.40	5.50
+4.75	4.30	4.50	4.70	4.80	5.00	5.20	5.40	5.50	5.70
+5.00	4.50	4.70	4.80	5.00	5.20	5.40	5.50	5.70	5.90
+5.25	4.70	4.80	5.00	5.20	5.40	5.50	5.70	5.90	6.00
+5.50	4.80	5.00	5.20	5.40	5.50	5.70	5.90	6.00	6.20
+5.75	5.00	5.20	5.40	5.50	5.70	5.90	6.00	6.20	
+6.00	5.20	5.40	5.50	5.70	5.90	6.00	6.20		
+6.25	5.40	5.50	5.70	5.90	6.00	6.20			
+6.50	5.50	5.70	5.90	6.00	6.20				
+6.75	5.70	5.90	6.00	6.20					
+7.00	5.90	6.00	6.20						
+7.25	6.00	6.20							
+7.50	6.20								
+7.75									
+8.00									



Product Catalogue

Finished Mineral Lenses

MINERAL LENS	FINISHED ASPHERICS TECHNICAL SPECIFICATION	RI 1.604	WHITE
--------------	--	----------	-------

65 MM									
Sph/Cyl	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
Plano	1.80	1.90	2.00	2.10	2.20	2.30	2.40	2.60	2.80
+0.25	1.90	2.00	2.10	2.20	2.30	2.40	2.60	2.80	2.90
+0.50	2.00	2.10	2.20	2.30	2.40	2.60	2.80	2.90	3.10
+0.75	2.10	2.20	2.30	2.40	2.60	2.80	2.90	3.10	3.30
+1.00	2.20	2.30	2.40	2.60	2.80	2.90	3.10	3.30	3.50
+1.25	2.30	2.40	2.60	2.80	2.90	3.10	3.30	3.50	3.70
+1.50	2.40	2.60	2.80	2.90	3.10	3.30	3.50	3.70	3.90
+1.75	2.60	2.80	2.90	3.10	3.30	3.50	3.70	3.90	4.10
+2.00	2.80	2.90	3.10	3.30	3.50	3.70	3.90	4.10	4.30
+2.25	2.90	3.10	3.30	3.50	3.70	3.90	4.10	4.30	4.50
+2.50	3.10	3.30	3.50	3.70	3.90	4.10	4.30	4.50	4.70
+2.75	3.30	3.50	3.70	3.90	4.10	4.30	4.50	4.70	4.90
+3.00	3.50	3.70	3.90	4.10	4.30	4.50	4.70	4.90	5.10
+3.25	3.70	3.90	4.10	4.30	4.50	4.70	4.90	5.10	5.30
+3.50	3.90	4.10	4.30	4.50	4.70	4.90	5.10	5.30	5.50
+3.75	4.10	4.30	4.50	4.70	4.90	5.10	5.30	5.50	5.70
+4.00	4.30	4.50	4.70	4.90	5.10	5.30	5.50	5.70	5.90
+4.25	4.50	4.70	4.90	5.10	5.30	5.50	5.70	5.90	
+4.50	4.70	4.90	5.10	5.30	5.50	5.70	5.90		
+4.75	4.90	5.10	5.30	5.50	5.70	5.90			
+5.00	5.10	5.30	5.50	5.70	5.90				
+5.25	5.30	5.50	5.70	5.90					
+5.50	5.50	5.70	5.90						
+5.75	5.70	5.90							
+6.00	5.90								
+6.25									
+6.50									
+6.75									
+7.00									
+7.25									
+7.50									
+7.75									
+8.00									



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.523	WHITE
--------------	---	----------	-------

55 MM WHITE					60 MM WHITE				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+1.00	525.00	16.15	32.50	2.30	+1.00	525.00	-16.00	31.00	2.30
+2.00	262.50	12.50	42.00	2.30	+2.00	262.50	-12.35	42.50	2.30
+3.00	175.00	12.50	42.00	2.30	+3.00	175.00	-12.35	42.50	2.30
+4.00	132.08	13.13	40.00	3.20	+4.00	132.08	-12.35	42.50	3.20
+5.00	105.53	13.13	40.00	3.10	+5.00	105.53	-7.00	75.00	5.40
+6.50	82.03	13.13	40.00	3.80	+6.50	82.03	-7.00	75.00	7.50
+7.75	69.44	9.05	58.00	5.60	+7.75	69.44	-7.00	75.00	8.50
+8.75	62.13	9.05	58.00	6.30	+8.75	62.13	-6.00	87.50	10.10
+9.50	57.38	9.05	58.00	7.30	+9.50	57.38	-6.00	87.50	10.60
+11.00	50.19	8.29	63.30	8.70	+11.00	50.19	-6.00	87.50	12.20
+13.00	43.32	8.29	63.30	10.60	+13.00	43.32	-6.00	87.50	14.40
+15.00	38.46	8.29	63.30	12.60	+15.00	38.46	-6.00	87.50	16.70
+16.50	35.86	8.29	63.30	13.80					
+18.00	33.72	9.55	63.30	15.10					

65 MM WHITE					70 MM WHITE				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
0.00	17433.33	-8.00	65.00	3.70	0.00	17433.33	-10.00	52.00	3.70
+0.75	754.28	-8.00	65.00	4.50	+0.75	754.28	-10.00	52.00	4.50
+1.00	525.00	-11.41	46.00	2.30	+2.00	262.50	-10.50	50.00	1.70
+2.00	262.50	-11.41	46.00	2.70	+3.00	175.00	-10.50	50.00	2.90
+3.00	175.00	-11.41	46.00	2.80	+4.00	132.08	-10.50	50.00	3.40
+4.00	132.08	-10.00	52.00	3.80	+5.00	105.53	-8.00	65.00	4.90
+5.00	105.53	-10.00	52.00	3.10	+5.50	86.26	-5.92	88.33	6.20
+6.50	82.03	-10.00	52.00	4.60	+6.50	82.03	-8.00	65.00	8.60
+7.75	69.44	-9.55	55.00	6.60	+7.75	69.44	-8.00	65.00	10.00
+8.75	62.13	-9.55	55.00	7.80					
+9.50	57.38	-9.72	54.00	9.40					
+10.50	53.19	-9.72	54.00	10.80					
+12.00	47.60	-9.72	54.00	12.50					

70 MM WHITE					75 MM WHITE				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+0.00	17433.33	-3.00	174.33	7.00	+0.00	17433.33	-3.00	174.33	7.00
+2.00	263.15	-8.00	65.00	4.00	+2.00	263.15	-8.00	65.00	4.00
+3.00	174.50	-8.00	65.00	5.00	+3.00	174.50	-8.00	65.00	5.00
+4.25	122.10	-8.00	65.00	5.00	+4.25	122.10	-8.00	65.00	5.00
+5.25	98.94	-5.00	105.00	8.00	+5.25	98.94	-5.00	105.00	8.00
+6.25	83.96	-5.00	105.00	10.00	+6.25	83.96	-5.00	105.00	10.00
+7.25	73.22	-5.00	105.00	10.00	+7.25	73.22	-5.00	105.00	10.00



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.523	PGX / PBX
--------------	---	----------	-----------

65 MM PGX					70 MM PGX				
0.00	17433.33	-10.00	52.00	2.80	0.00	17433.33	-10.00	52.00	2.60
+0.75	754.28	-10.00	52.00	3.30	+0.75	754.28	-10.00	52.00	3.00
+2.00	263.15	-10.00	52.00	4.50	+2.00	263.15	-10.00	52.00	4.50
+3.00	174.50	-10.00	52.00	4.50	+3.00	174.50	-10.00	52.00	4.50
+4.25	122.10	-8.00	65.00	4.50	+4.25	122.10	-8.00	65.00	4.50
+5.25	98.94	-8.00	65.00	4.50	+5.25	98.94	-8.00	65.00	4.50
+6.25	83.96	-6.00	87.00	5.70	+6.25	83.96	-6.00	87.00	5.70
+7.25	73.22	-5.50	95.00	7.00	+7.25	73.22	-4.00	131.00	8.00
+8.50	62.86	-5.50	95.00	8.00	+8.50	62.86	-4.00	131.00	9.00
+10.00	52.30	0.00	0.00	14.00					
65 MM PBX					70 MM PBX				
+0.75	754.28	-10.00	52.00	3.30	+0.75	754.28	-10.00	52.00	3.00
+2.00	263.15	-10.00	52.00	4.50	+2.00	263.15	-10.00	52.00	4.50
+3.00	174.50	-10.00	52.00	4.50	+3.00	174.50	-10.00	52.00	4.50
+4.25	122.10	-8.00	65.00	4.50	+4.25	122.10	-8.00	65.00	4.50
+5.25	98.94	-8.00	65.00	4.50	+5.25	98.94	-8.00	65.00	4.50
+6.25	83.96	-6.00	87.00	5.70	+6.25	83.96	-6.00	87.00	5.70
+7.25	73.22	-5.50	95.00	7.00	+7.25	73.22	-4.00	131.00	8.00
+8.50	62.86	-5.50	95.00	8.00	+8.50	62.86	-4.00	131.00	9.00

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.523	FIXED TINTS
--------------	---	----------	-------------

GRAY 1307 – 70 MM				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+2.00	263.15	-8.00	65.00	3.00
+4.00	132.08	-8.00	65.00	5.70
+6.00	87.75	-7.00	74.00	5.70
+8.50	62.86	-7.00	74.00	5.70
G-15 – 70 MM				
+2.00	263.15	-8.00	65.00	3.00
+4.00	132.08	-8.00	65.00	5.70
+6.00	87.75	-7.00	74.00	5.70
+8.50	62.86	-7.00	74.00	5.70
BROWN – 70 MM				
+2.00	263.15	-8.00	65.00	3.00
+4.00	132.08	-8.00	65.00	5.70
+6.00	87.75	-7.00	74.00	5.70
+8.50	62.86	-7.00	74.00	5.70



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.60/42	WHITE
--------------	---	------------	-------

60 MM					65 MM				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+4.50	114.72	-4.00	131.00	5.50	+1.03	492.03	-10.00	52.00	4.00
+5.38	96.29	-4.00	131.00	6.30	+1.90	269.93	-10.00	52.00	4.00
+6.50	82.03	-4.00	131.00	7.00	+2.77	187.49	-10.00	52.00	4.00
+7.37	72.01	-2.00	261.00	8.50	+3.63	142.06	-10.00	52.00	4.00
+8.50	62.86	-2.00	261.00	10.00	+4.50	114.72	-8.00	65.00	4.00
					+5.38	96.29	-4.00	131.00	6.00
					+6.50	82.03	-4.00	131.00	7.00
					+7.37	72.01	-4.00	131.00	8.80
					+8.50	62.86	-4.00	131.00	10.00
					+9.25	58.87	-4.00	131.00	10.00
70 MM					75 MM				
+1.03	492.03	-10.00	52.00	4.30	+2.77	187.49	-10.00	52.00	4.00
+1.90	269.93	-10.00	52.00	4.30	+3.63	142.06	-10.00	52.00	5.00
+2.77	187.49	-10.00	52.00	4.30	+4.50	114.72	-10.00	52.00	5.00
+3.63	142.06	-10.00	52.00	4.30	+5.38	96.29	-4.00	131.00	6.80
+4.50	114.72	-8.00	65.00	4.00	+6.50	82.03	-4.00	131.00	8.00
+5.38	96.29	-4.00	131.00	6.40					
+6.50	82.03	-4.00	131.00	7.00					
+7.37	72.01	-4.00	131.00	9.00					
+8.50	62.86	-4.00	131.00	10.00					
+9.25	58.87	-4.00	131.00	11.00					



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.60/45	PGX / PBX
--------------	---	------------	-----------

60 MM PGX					65 MM PGX				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+0.50	1046.00	-13.00	40.00	3.40	+0.50	1046.00	-10.00	52.30	2.70
+1.03	492.03	-13.00	40.00	3.90	+1.03	492.03	-10.00	52.30	3.20
+1.90	269.93	-13.00	40.00	4.90	+1.90	269.93	-10.00	52.30	4.00
+2.77	187.49	-13.00	40.00	5.20	+2.77	187.49	-10.00	52.30	4.50
+3.63	142.66	-13.00	40.00	5.20	+3.63	142.06	-8.00	65.00	3.50
					+4.50	114.72	-3.50	149.00	6.00
					+5.38	96.29	-3.50	149.00	7.00
					+6.50	82.03	-3.50	149.00	7.00
					+7.37	72.01	-3.50	149.00	7.00

70 MM PGX				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+1.03	492.03	-10.00	52.00	2.70
+1.90	269.93	-10.00	52.00	3.20
+2.77	187.49	-10.00	52.00	4.00
+3.63	142.06	-10.00	52.00	4.50

65 MM PBX					70 MM PBX				
+1.03	492.03	-10.00	52.00	2.80	+1.90	269.93	-10.00	52.00	4.20
+1.90	269.93	-10.00	52.00	3.80	+2.77	187.49	-10.00	52.00	4.70
+2.77	187.49	-10.00	52.00	4.00	+3.63	142.06	-8.00	52.00	4.70
+3.63	142.06	-8.00	52.00	4.00	+4.50	114.72	-4.00	65.00	4.00
+4.50	114.72	-4.00	65.00	4.00	+5.38	96.29	-4.00	131.00	6.50
+5.38	96.29	-4.00	131.00	6.50	+6.50	82.03	-4.00	131.00	7.00
+6.50	82.03	-4.00	131.00	7.00	+7.37	72.01	-4.00	131.00	7.00
+7.37	72.01	-4.00	131.00	8.00	+8.50	62.86	-4.00	131.00	10.00
+8.50	62.86	-4.00	131.00	9.00					



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.70/35	WHITE
--------------	---	------------	-------

60 MM					65 MM				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+0.50-C	1046.00	-14.00	37.00	2.60	Plano	17433.33	-14.00	37.00	3.60
+0.50-E	1046.00	-24.00	21.00	2.00	+0.50-B	1046.00	-14.00	37.00	3.60
+1.03-B	492.03	-14.00	37.00	2.60	+0.50-A	1046.33	-12.00	43.00	2.60
					+1.03-B	492.03	-14.00	37.00	3.60
					+1.03-A	492.03	-12.00	43.00	2.60
					+1.90-B	269.93	-10.00	52.00	2.60
					+1.90-A	269.93	-8.00	65.00	2.60
					+2.77-B	187.49	-10.00	52.00	2.60
					+2.77-A	187.49	-8.00	65.00	2.60
					+3.63-B	142.66	-10.00	52.00	2.60
					+3.63-A	142.66	-7.00	74.00	2.60
					+4.50	114.72	-7.00	74.00	3.00
					+5.38	96.29	-6.00	87.00	6.80
					+6.50	82.03	-6.00	87.00	7.50
					+7.37	72.01	-6.00	87.00	7.50
70 MM									
+0.50	1046.00	-10.00	52.00	2.60					
+1.03	492.03	-10.00	52.00	2.60					
+1.90	269.93	-10.00	52.00	2.60					
+2.77	187.49	-10.00	52.00	2.60					
+3.63	142.66	-10.00	52.00	2.60					
+4.50	114.72	-6.00	74.00	3.00					



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.70/42	WHITE
--------------	---	------------	-------

60 MM				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+7.37	72.01	-5.50	95.00	8.50
+8.50	62.86	-5.50	95.00	9.00
+9.25	58.87	-5.50	95.00	9.00
70 MM				
+1.03	492.03	-10.00	52.00	2.80
+1.90	269.93	-10.00	52.00	3.50
+2.77	187.49	-10.00	52.00	3.50
+3.63	142.66	-9.00	58.00	3.50

65 MM				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+0.50-A	1046.33	-12.00	43.00	3.00
+1.03-B	492.03	-12.00	43.00	2.80
+1.90	269.93	-9.00	58.00	2.50
+2.77	187.49	-10.00	52.00	2.80
+3.63	142.66	-10.00	52.00	3.00
+4.50	114.72	-9.00	58.00	3.20
+5.38	96.29	-9.00	58.00	3.50
+6.50	82.03	-6.00	87.00	5.50
+7.37	72.01	-6.00	87.00	7.50



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.80/35	WHITE
--------------	---	------------	-------

60 MM					65 MM				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
+0.50-A	1046.00	-10.00	52.00	2.60	Plano	17433.33	-14.00	37.00	3.50
+0.50-B	1046.33	-15.00	33.00	3.50	+0.50-B	1046.00	-14.00	37.00	3.50
+1.03-A	492.03	-10.00	52.00	2.60	+0.50-A	1046.33	-12.00	43.00	2.60
+1.03-B	492.03	-15.00	33.00	3.50	+1.03	492.03	-10.00	52.00	2.60
+1.90	269.93	-10.00	52.00	2.60	+1.90-B	492.03	-10.00	52.00	2.60
					+1.90-A	269.93	-8.00	65.00	2.50
70 MM					+2.77	187.49	-7.00	74.00	2.40
+0.50-A	1046.00	-10.00	52.00	2.10					
+1.03-A	492.03	-10.00	52.00	2.80					
+1.90-A	269.93	-9.00	52.00	2.80					

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED SINGLE VISION TECHNICAL SPECIFICATION	RI 1.90/31	WHITE
--------------	---	------------	-------

60 MM					65 MM				
Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)	Base	Convex Radius (mm)	Concave Curve (dpt)	Concave Radius (mm)	C.T. (mm)
Plano	17433.33	-16.00	33.00	2.60	Plano	17433.33	-12.00	43.00	2.60
+0.50-A	1046.00	-10.00	52.00	2.60	+0.50-C	1046.00	-12.00	43.00	2.60
+0.50-B	1046.33	-16.00	33.00	2.60	+0.50-B	1046.00	-10.00	54.00	2.60
+1.03-A	492.03	-10.00	52.00	2.60	+0.50-A	1046.33	-8.00	65.00	2.60
+1.03-B	492.03	-16.00	33.00	2.60	+1.03-B	492.03	-10.00	54.00	2.60
+1.90-A	269.93	-10.00	52.00	2.60	+1.03-A	492.03	-8.00	65.00	2.60
+1.90-B	269.93	-10.00	33.00	2.60	+1.90	269.93	-6.70	78.00	2.60
					+2.77	187.49	-6.70	78.00	2.60



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED BIFOCALS TECHNICAL SPECIFICATION	RI 1.523	WHITE / PGX / PBX
--------------	--	----------	-------------------

CURVE TOP-25 [C25] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50			9.9/15.6	10.0/15.7	9.9/15.6	9.8/15.5	10.0/15.7	9.9/15.6	9.1/14.8	9.5/15.2	9.5/15.2	9.2/14.9	9.1/14.8	8.9/14.6	8.8/14.5				
2.25		7.6/11.8	7.3/11.5	7.5/11.7	7.6/11.8	7.5/11.7	7.6/11.8	7.6/11.8	7.5/11.7	7.3/11.5	7.2/11.4	7.0/11.2	7.0/11.2	6.7/10.9	6.4/10.6				
4.25	7.3/9.6	7.4/9.4	7.4/9.4	7.3/9.3	7.4/9.4	7.3/9.3	7.4/9.4	7.0/9.3	7.3/9.3	7.4/9.4	7.1/9.1	7.0/9.0	6.9/8.9	6.8/8.8	6.6/8.6	6.2/8.2	5.9/7.9		
6.25	6.2/6.0	5.9/5.7	5.8/5.6	6.3/6.1	5.9/5.7	5.7/5.5	5.8/5.6	5.5/5.3	5.4/5.2	5.1/4.9	5.0/4.8	5.5/5.3	5.2/5.0	5.1/4.9	5.0/4.8	4.6/4.4	4.4/4.2	4.0/3.8	3.7/3.5
8.25	8.9/6.5	8.5/6.1	8.0/5.6	7.9/5.5	8.5/6.1	8.5/6.1	8.0/5.6	7.9/5.5	7.9/5.5	7.6/5.2	7.5/5.1	7.3/4.9	7.1/4.7	6.9/4.5	7.5/5.1	7.1/4.7	6.9/4.5	6.6/4.2	6.3/3.9
10.25		11.0/5.9	10.7/5.6	10.3/5.2	9.9/4.8	10.9/5.8	10.9/5.8	10.6/5.5	10.3/5.2	10.1/5.0	9.9/4.8	9.6/4.5	9.5/4.4	9.3/4.2	9.1/4.0				

CURVE TOP-25 [C25] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25																			
4.25		7.4/10.3	7.3/10.2	7.3/10.2	7.4/10.3	7.3/10.2	7.3/10.2	6.9/9.8	7.3/10.2	7.3/10.2	7.0/9.9	6.9/9.8	6.8/9.7	6.7/9.6	6.5/9.4				
6.25		7.0/6.7	6.9/6.6	7.4/7.1	7.0/6.7	7.0/6.7	6.9/6.6	6.6/6.3	6.5/6.2	6.3/6.0	6.1/5.8	6.5/6.2	6.3/6.0	6.3/6.0	6.1/5.8				
8.25		9.1/6.2	8.5/5.6	8.5/5.6	9.1/6.2	9.1/6.2	8.5/5.6	8.5/5.6	8.5/5.6	8.2/5.3	8.1/5.2	7.9/5.0	7.7/4.8	7.5/4.6	8.1/5.2				
10.25																			

CURVE TOP-28 [C28] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50			10.0/15.7	10.2/15.9	10.2/15.9	10.1/15.8	10.2/15.9	10.1/15.8	9.6/15.3	9.8/15.5	9.8/15.5	9.6/15.3	9.6/15.3	9.3/15.0	9.2/14.9				
2.25		7.9/12.1	7.5/11.7	7.7/11.9	7.9/12.1	7.8/12.0	7.8/12.0	7.9/12.1	7.8/12.0	7.6/11.8	7.6/11.8	7.4/11.6	7.4/11.6	7.1/11.3	6.9/11.1				
4.25	7.5/9.5	7.7/9.7	7.7/9.7	7.5/9.5	7.7/9.7	7.6/9.6	7.7/9.7	7.4/9.4	7.6/9.6	7.7/9.7	7.5/9.5	7.4/9.4	7.3/9.3	7.2/9.2	7.1/9.1	6.7/8.7	6.5/8.5		
6.25	6.4/6.2	6.2/6.3	6.1/6.3	6.5/6.6	6.2/6.0	6.0/5.8	6.1/5.9	5.9/5.7	5.8/5.6	5.6/5.4	5.5/5.3	5.8/5.6	5.7/5.5	5.6/5.4	5.5/5.3	5.2/5.0	5.0/4.8	4.7/4.5	4.4/4.2
8.25	9.0/6.6	8.8/6.4	8.4/6.0	8.3/5.9	8.8/6.4	8.8/6.4	8.4/6.0	8.3/5.9	8.3/5.9	8.1/5.7	8.0/5.6	7.8/5.4	7.7/5.3	7.5/5.1	8.0/5.6	7.7/5.3	7.6/5.2	7.3/4.9	7.0/4.6
10.25		11.3/6.2	11.0/5.9	10.8/5.7	10.4/5.3	11.2/6.1	11.2/6.1	11.0/5.9	10.8/5.7	10.5/5.4	10.4/5.3	10.2/5.1	10.1/5.0	9.9/4.8	9.7/4.6				

CURVE TOP-28 [C28] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25		8.9/13.8	8.5/13.4	8.7/13.6	8.9/13.8	8.8/13.7	8.8/13.7	8.9/13.8	8.8/13.7	8.6/13.5	8.6/13.5	8.4/13.3	8.4/13.3	8.1/13.0	7.9/12.8				
4.25		7.7/10.0	7.6/9.9	7.5/9.8	7.7/10.0	7.6/9.9	7.6/9.9	7.3/9.6	7.6/9.9	7.6/9.9	7.4/9.7	7.3/9.6	7.2/9.5	7.1/9.4	7.0/9.3				
6.25		7.3/7.0	7.2/6.9	7.6/7.3	7.3/7.0	7.3/7.0	7.2/6.9	7.0/6.7	6.9/6.6	6.7/6.4	6.6/6.3	6.9/6.6	6.8/6.5	6.7/6.4	6.6/6.3				
8.25		9.4/6.5	8.9/6.0	8.9/6.0	9.4/6.5	9.4/6.5	8.9/6.0	8.9/6.0	8.9/6.0	8.7/5.8	8.6/5.7	8.4/5.5	8.3/5.4	8.1/5.2	8.6/5.7				
10.25																			

CT/ET



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED BIFOCALS TECHNICAL SPECIFICATION	RI 1.523	WHITE / PGX / PBX
--------------	--	----------	-------------------

FLAT TOP-25 [D25] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50			9.9/15.6	10.0/15.7	9.9/15.6	9.8/15.5	10.0/15.7	9.9/15.6	9.1/14.8	9.5/15.2	9.5/15.2	9.2/14.9	9.1/14.8	8.9/14.6	8.8/14.5				
2.25		7.6/11.8	7.3/11.5	7.5/11.7	7.6/11.8	7.5/11.7	7.6/11.8	7.6/11.8	7.5/11.7	7.3/11.5	7.2/11.4	7.0/11.2	7.0/11.2	6.7/10.9	6.4/10.6				
4.25		7.4/9.4	7.4/9.4	7.3/9.3	7.4/9.4	7.3/9.3	7.4/9.4	7.0/9.3	7.3/9.3	7.4/9.4	7.1/9.1	7.0/9.0	6.9/8.9	6.8/8.8	6.6/8.6				
6.25		5.9/5.7	5.8/5.6	6.3/6.1	5.9/5.7	5.7/5.5	5.8/5.6	5.5/5.3	5.4/5.2	5.1/4.9	5.0/4.8	5.5/5.3	5.2/5.0	5.1/4.9	5.0/4.8				
8.25		8.5/6.1	8.0/5.6	7.9/5.5	8.5/6.1	8.5/6.1	8.0/5.6	7.9/5.5	7.9/5.5	7.6/5.2	7.5/5.1	7.3/4.9	7.1/4.7	6.9/4.5	7.5/5.1				
10.25		11.0/5.9	10.7/5.6	10.3/5.2	9.9/4.8	10.9/5.8	10.9/5.8	10.6/5.5	10.3/5.2	10.1/5.0	9.9/4.8	9.6/4.5	9.5/4.4	9.3/4.2	9.1/4.0				

FLAT TOP-25 [D25] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25	8.4/13.3	8.6/13.5	8.3/13.2	8.5/13.4	8.6/13.5	8.5/13.4	8.6/13.5	8.6/13.5	8.5/13.4	8.3/13.2	8.2/13.1	8.0/12.9	8.0/12.9	7.7/12.6	7.4/12.3				
4.25	7.3/10.2	7.4/10.3	7.3/10.2	7.3/10.2	7.4/10.3	7.3/10.2	7.3/10.2	6.9/9.8	7.3/10.2	7.3/10.2	7.0/9.9	6.9/9.8	6.8/9.7	6.7/9.6	6.5/9.4	6.1/9.0	5.8/8.7		
6.25	7.3/7.0	7.0/6.7	6.9/6.6	7.4/7.1	7.0/6.7	7.0/6.7	6.9/6.6	6.6/6.3	6.5/6.2	6.3/6.0	6.1/5.8	6.5/6.2	6.3/6.0	6.3/6.0	6.1/5.8	5.8/5.5	5.5/5.2		
8.25	9.4/6.5	9.1/6.2	8.5/5.6	8.5/5.6	9.1/6.2	9.1/6.2	8.5/5.6	8.5/5.6	8.5/5.6	8.2/5.3	8.1/5.2	7.9/5.0	7.7/4.8	7.5/4.6	8.1/5.2	7.7/4.8	7.5/4.6		
10.25																			

FLAT TOP-28 [D28] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50			10.0/15.7	10.2/15.9	10.2/15.9	10.1/15.8	10.2/15.9	10.1/15.8	9.6/15.3	9.8/15.5	9.8/15.5	9.6/15.3	9.6/15.3	9.3/15.0	9.2/14.9				
2.25			7.5/11.7	7.7/11.9	7.9/12.1	7.8/12.0	7.8/12.0	7.9/12.1	7.8/12.0	7.6/11.8	7.6/11.8	7.4/11.6	7.4/11.6	7.1/11.3	6.9/11.1				
4.25		7.7/9.7	7.7/9.7	7.5/9.5	7.7/9.7	7.6/9.6	7.7/9.7	7.4/9.4	7.6/9.6	7.7/9.7	7.5/9.5	7.4/9.4	7.3/9.3	7.2/9.2	7.1/9.1				
6.25		6.2/6.3	6.1/6.3	6.5/6.6	6.2/6.0	6.0/5.8	6.1/5.9	5.9/5.7	5.8/5.6	5.6/5.4	5.5/5.3	5.8/5.6	5.7/5.5	5.6/5.4	5.5/5.3				
8.25		8.8/6.4	8.4/6.0	8.3/5.9	8.8/6.4	8.8/6.4	8.4/6.0	8.3/5.9	8.3/5.9	8.1/5.7	8.0/5.6	7.8/5.4	7.7/5.3	7.5/5.1	8.0/5.6				
10.25			11.0/5.9	10.8/5.7	10.4/5.3	11.2/6.1	11.2/6.1	11.0/5.9	10.8/5.7	10.5/5.4	10.4/5.3	10.2/5.1	10.1/5.0	9.9/4.8	9.7/4.6				

FLAT TOP-28 [D28] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25	8.6/13.5	8.9/13.8	8.5/13.4	8.7/13.6	8.9/13.8	8.8/13.7	8.8/13.7	8.9/13.8	8.8/13.7	8.6/13.5	8.6/13.5	8.4/13.3	8.4/13.3	8.1/13.0	7.9/12.8				
4.25	7.5/9.8	7.7/10.0	7.6/9.9	7.5/9.8	7.7/10.0	7.6/9.9	7.6/9.9	7.3/9.6	7.6/9.9	7.6/9.9	7.4/9.7	7.3/9.6	7.2/9.5	7.1/9.4	7.0/9.3	6.6/8.9	6.4/8.7		
6.25	7.5/7.2	7.3/7.0	7.2/6.9	7.6/7.3	7.3/7.0	7.3/7.0	7.2/6.9	7.0/6.7	6.9/6.6	6.7/6.4	6.6/6.3	6.9/6.6	6.8/6.5	6.7/6.4	6.6/6.3	6.3/6.0	6.1/5.8		
8.25	9.5/6.6	9.4/6.5	8.9/6.0	8.9/6.0	9.4/6.5	9.4/6.5	8.9/6.0	8.9/6.0	8.9/6.0	8.7/5.8	8.6/5.7	8.4/5.5	8.3/5.4	8.1/5.2	8.6/5.7	8.3/5.4	8.1/5.2		
10.25																			

KRYPTOK-28 [KT28] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25																			
4.25			4.8/7.1	5.0/7.3	4.9/7.3	4.9/7.3	4.8/7.1	4.7/7.1	4.9/7.3	4.8/7.1	4.8/7.2	4.7/7.0	4.7/7.0	4.6/6.9	4.6/6.9				
6.25			4.8/4.6	4.9/4.7	4.9/4.7	4.9/4.7	4.8/4.6	4.8/4.6	4.9/4.7	4.8/4.6	4.8/4.6	4.7/4.5	4.7/4.5	4.6/4.4	4.6/4.4				
8.25			7.0/4.8	6.8/4.6	6.9/4.7	6.9/4.7	7.0/4.8	6.9/4.7	6.8/4.6	6.8/4.6	6.7/4.5	6.6/4.4	6.6/4.4	6.5/4.3	6.7/4.5				
10.25																			

CT/ET



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED BIFOCALS TECHNICAL SPECIFICATION	RI 1.523	WHITE / PGX
--------------	--	----------	-------------

FLAT TOP-35 [D35] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25																			
4.25		7.8/9.8	8.7/10.7	8.0/10.0	7.8/9.8	7.6/9.6	7.8/9.8	7.2/9.2	7.0/9.0	7.5/9.5	7.2/9.2	7.0/9.0	6.9/8.9						
6.25		6.5/6.3	6.6/6.4	6.7/6.5	6.5/6.3	6.1/5.9	6.4/6.2	6.6/5.4	6.9/5.7	6.9/5.7	6.6/5.4	6.5/5.3	6.3/5.1						
8.25		8.9/6.5	8.7/6.3	8.0/5.6	8.9/6.5	8.9/6.5	8.7/6.3	8.2/5.8	8.0/5.6	8.6/6.2	8.2/5.8	8.0/5.6	7.8/5.4						
10.25																			

FLAT TOP-35 [D35] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25																			
4.25		7.7/10.0	8.6/10.9	7.9/10.2	7.7/10.0	7.5/9.8	7.7/10.0	7.1/9.4	6.9/9.2	7.4/9.7	7.1/9.4	6.9/9.2	6.8/9.1						
6.25		7.3/7.0	7.4/7.1	7.5/7.2	7.3/7.0	6.6/6.6	7.2/6.9	6.4/6.1	6.7/6.4	6.7/6.4	6.4/6.1	6.3/6.0	6.1/5.8						
8.25		9.5/6.6	9.3/6.4	8.6/5.7	9.5/6.6	9.5/6.6	9.3/6.4	8.8/5.9	8.6/5.7	9.2/6.3	8.8/5.9	8.6/5.7	8.4/5.5						
10.25																			

MINERAL LENS	SEMI-FINISHED TRIFOCALS TECHNICAL SPECIFICATION	RI 1.523	WHITE
--------------	---	----------	-------

CURVE TOP TRIFOCAL [8C28] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25																			
4.25					7.7/10.0	7.6/9.9	7.6/9.9	7.3/9.6	7.6/9.9	7.6/9.9	7.4/9.7	7.3/9.6	7.2/9.5						
6.25					7.3/7.0	7.3/7.0	7.2/6.9	7.0/6.7	6.9/6.6	6.7/6.4	6.6/6.3	6.9/6.6	6.8/6.5						
8.25					9.4/6.5	9.4/6.5	8.9/6.0	8.9/6.0	8.9/6.0	8.7/5.8	8.6/5.7	8.4/5.5	8.3/5.4						
10.25																			

MINERAL LENS	SEMI-FINISHED TRIFOCALS TECHNICAL SPECIFICATION	RI 1.523	WHITE / PGX
--------------	---	----------	-------------

FLAT TOP TRIFOCAL [7D28] 65 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25																			
4.25					7.7/9.7	7.6/9.6	7.7/9.7	7.4/9.4	7.6/9.6	7.7/9.7	7.5/9.5	7.4/9.4	7.3/9.3						
6.25					6.2/6.0	6.0/5.8	6.1/5.9	5.9/5.7	5.8/5.6	6.6/5.4	5.5/5.3	5.8/5.6	5.7/5.5						
8.25					8.8/6.4	8.8/6.4	8.4/6.0	8.3/5.9	8.3/5.9	8.1/5.7	8.0/5.6	7.8/5.4	7.7/5.3						
10.25																			

FLAT TOP TRIFOCAL [7D28] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25																			
4.25					7.7/10.0	7.6/9.9	7.6/9.9	7.3/9.6	6.2/8.5	5.9/8.2	5.7/8.0	5.6/7.9	5.4/7.7						
6.25					7.3/7.0	7.3/7.0	7.2/6.9	7.0/6.7	6.9/6.6	6.7/6.4	6.6/6.3	6.5/6.2	6.4/6.1						
8.25					9.4/6.5	9.4/6.5	8.9/6.0	8.9/6.0	8.9/6.0	8.7/5.8	8.6/5.7	8.4/5.5	8.3/5.4						
10.25																			



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED BIFOCALS TECHNICAL SPECIFICATION	R1 1.604	WHITE
--------------	--	----------	-------

CURVE TOP-25 [C25] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50	+5.00	+5.50	+6.00
0.50																			
2.25		9.6/14.7	9.5/14.5	9.3/14.3	9.2/14.2	8.9/13.9	8.8/13.8	8.6/13.7	8.9/13.9	8.7/13.7	8.6/13.7	8.5/13.6	8.2/13.3	8.2/13.3	8.0/13.1	7.8/12.8	7.4/12.4	7.0/12.1	6.6/11.7
4.25		9.3/11.7	9.1/11.5	8.9/11.3	8.7/11.1	8.5/10.9	8.3/10.7	8.1/10.5	8.0/10.4	7.8/10.2	8.2/10.6	8.0/10.5	7.9/10.3	7.8/10.2	7.5/10.4	7.3/10.2	7.0/9.4	6.6/9.0	6.3/8.8
6.25		8.8/9.9	8.6/9.7	8.4/9.5	8.1/9.2	8.0/9.1	7.8/8.9	7.6/8.7	7.4/8.5	7.3/8.4	7.1/8.2	7.0/8.0	7.4/8.4	7.2/8.3	7.1/8.2	6.8/7.9	6.5/7.6	6.2/7.3	5.9/7.0
8.25		8.2/8.1	8.1/7.9	7.9/7.8	7.7/7.7	7.4/7.4	7.3/7.3	7.2/7.2	7.0/7.1	6.8/6.9	6.7/6.8	6.5/6.7	6.3/6.5	6.7/6.8	6.6/6.7	6.3/6.5	6.1/5.8	5.8/5.5	5.5/5.2
10.25		10.2/7.2	10.1/7.1	9.9/6.9	9.8/6.8	9.6/6.5	9.4/6.4	9.3/6.3	9.0/6.0	8.8/5.7	8.6/5.6	8.5/5.5	8.3/5.3	8.2/5.1	7.9/4.9	8.3/5.3	8.0/5.0	7.7/4.7	7.5/4.5

CURVE TOP-28 [C28] 70 MM																			
BASE	ADDITION RANGE & CT/ET																		
	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00	+3.25	3.50	+3.75	+4.00	+4.50			
0.50																			
2.25		9.7/14.7	9.6/14.6	9.5/14.5	9.4/14.4	9.2/14.2	9.1/14.1	8.9/13.9	9.2/14.2	9.0/14.0	8.9/13.9	8.9/13.9	8.6/13.6	8.6/13.6	8.4/13.4	8.2/13.2			
4.25		9.4/11.8	9.3/11.7	9.1/11.5	8.9/11.3	8.8/11.2	8.6/11.0	8.4/10.9	8.3/10.7	8.2/10.6	8.5/10.9	8.4/10.8	8.3/10.7	8.2/10.6	8.0/10.4	7.8/10.2			
5.25		8.9/10.0	8.8/9.9	8.6/9.7	8.4/9.5	8.3/9.4	8.1/9.2	7.9/9.0	7.8/8.9	7.7/8.8	7.5/8.6	7.4/8.5	7.7/8.8	7.6/8.7	7.5/8.6	7.3/8.4			
6.25		8.4/8.1	8.2/7.9	8.1/7.8	8.0/7.7	7.7/7.4	7.6/7.3	7.5/7.2	7.4/7.1	7.2/6.9	7.1/6.8	7.0/6.7	6.8/6.5	7.1/6.8	7.0/6.7	6.8/6.5			
8.25		10.4/7.4	10.2/7.2	10.1/7.1	10.0/7.0	9.8/6.8	9.7/6.7	9.6/6.6	9.3/6.3	9.2/6.2	9.1/6.1	8.9/5.9	8.8/5.8	8.7/5.7	8.5/5.5	8.8/5.8			
10.25																			



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED ASPHERICS TECHNICAL SPECIFICATION	RI 1.604	WHITE
--------------	---	----------	-------

60 MM					
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (mm)	C.T. (mm)	E.T. (mm)
4.00	4.00	132.45	100.95	3.8	4.9
5.00	4.98	106.34	100.95	4.8	4.9
5.75	5.84	90.69	100.95	5.6	5.0
6.75	6.61	80.21	100.95	6.4	5.0
7.50	7.39	71.73	100.95	7.3	5.0
8.25	8.12	65.30	100.95	8.1	5.1

65 MM					
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (mm)	C.T. (mm)	E.T. (mm)
1.50	1.32	402.66	62.35	3.2	11.1
2.75	2.77	191.34	88.33	4.6	7.9
3.75	3.65	145.40	88.33	5.1	7.6
4.00	4.01	132.28	100.95	3.8	5.1
5.00	4.99	106.15	100.95	4.8	5.0
5.75	5.81	91.24	100.95	5.6	5.1
6.75	6.67	79.46	100.95	6.4	4.8
7.50	7.49	70.78	100.95	7.3	4.8
8.25	8.13	65.16	100.95	8.1	4.7

70 MM					
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (mm)	C.T. (mm)	E.T. (mm)
1.50	1.28	413.70	62.35	3.2	11.5
2.75	2.77	191.14	88.33	4.6	7.8
3.75	3.65	145.40	88.33	5.6	8.6
4.00	3.97	133.63	100.95	4.1	5.1
5.00	4.98	106.34	100.95	5.3	5.1
5.75	5.76	92.07	100.95	6.2	5.0
6.75	6.70	79.06	100.95	7.1	4.9
7.50	7.30	72.60	100.95	7.3	4.6
8.25	8.04	65.94	100.95	8.1	4.0



Product Catalogue

Semi-Finished Mineral Lenses

MINERAL LENS	SEMI-FINISHED PROGRESSIVES TECHNICAL SPECIFICATION	RI 1.523	WHITE / PGX / PBX
--------------	--	----------	-------------------

ProAspherica Regular Corridor [MFH=18 mm]						
70 MM						
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)
3.50	3.476	152.28	-6.00	7.50	10.60	+0.75 to +3.50
4.50	4.540	116.74	-6.00	7.50	9.40	
5.50	5.644	93.90	-6.00	7.50	8.00	
6.75	6.800	77.94	-6.00	7.50	6.40	

ProAspherica Short Corridor [MFH=15 mm]						
70 MM						
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)
3.50	3.476	152.28	-6.00	7.50	10.60	+0.75 to +3.50
4.50	4.540	116.74	-6.00	7.50	9.40	
5.50	5.644	93.90	-6.00	7.50	8.00	
6.75	6.800	77.94	-6.00	7.50	6.40	

MINERAL LENS	SEMI-FINISHED PROGRESSIVES TECHNICAL SPECIFICATION	RI 1.60	WHITE / PBX
--------------	--	---------	-------------

ProAspherica Regular Corridor [MFH=18 mm]						
70 MM						
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)
3.50	3.510	151.00	-6.00	7.50	10.60	+0.75 to +3.00 & +3.50
4.50	4.580	115.71	-6.00	7.50	9.30	
5.50	5.660	93.64	-6.00	7.50	7.95	
6.75	6.791	78.04	-6.00	7.50	6.40	

MINERAL LENS	SEMI-FINISHED PROGRESSIVES TECHNICAL SPECIFICATION	RI 1.70	WHITE
--------------	--	---------	-------

ProAspherica Regular Corridor [MFH=18 mm]						
65 MM						
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)
1.50	1.446	366.49	-6.00	7.50	12.25	+1.00 to +3.00 & +3.50

MINERAL LENS	SEMI-FINISHED PROGRESSIVES TECHNICAL SPECIFICATION	RI 1.80	WHITE
--------------	--	---------	-------

1.80 ProAspherica Regular Corridor [MFH=18 mm]						
65 MM						
Base (dpt)	True Curve (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)
1.50	1.391	380.95	-6.00	7.50	12.30	+1.00 to +3.00 & +3.50

