




1.50 Plastic Q-Shade+ SF Bifocal FT28-UC/HC

SF BIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
-------------------------------------	--------------

80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
2.00	2.03	261.08	-6.25	8.30	15.50	+1.00 to +3.50	-4.00 to -6.00
4.00	4.07	130.22	-6.25	9.10	13.10	+1.00 to +3.50	-0.50 to -3.75
5.25*	5.20	101.92	-6.25	8.00	10.10	+1.00 to +3.50	+3.50 to -0.25
6.25	6.33	83.72	-6.25	8.60	8.70	+1.00 to +3.50	+3.75 to +5.25
8.50	8.60	61.62	-6.25	13.50	9.00	+1.00 to +3.50	+5.50 & above


*New - Launch Q4 2025



1.50 Plastic Q-Shade+ SF Trifocal 7x28-UC/HC

SF TRIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
--------------------------------------	--------------


80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
4.00	4.07	130.22	-6.25	9.10	13.10	+1.50 to +3.50	-0.50 to -3.75
6.25	6.33	83.72	-6.25	8.60	8.70	+1.50 to +3.50	+4.75 to -0.25
8.50	8.60	61.62	-6.25	13.50	9.00	+1.50 to +3.50	+5.00 & above



1.50 Plastic Q-Shade+ SF Bifocal FT35-UC/HC

SF BIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
-------------------------------------	--------------


80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
2.00	2.03	261.08	-6.25	8.30	15.50	+1.00 to +2.50	-4.00 to -6.00
4.00	4.07	130.22	-6.25	9.10	13.10	+1.00 to +2.50	+1.00 to -3.75
6.25	6.33	83.72	-6.25	8.60	8.70	+1.00 to +2.50	+1.25 to +5.25
8.50	8.60	61.62	-6.25	13.50	9.00	+1.00 to +2.50	+5.50 & above



1.50 Plastic Q-Shade+ SF Trifocal 8x35-UC/HC

SF TRIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
--------------------------------------	--------------

80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
4.00	4.07	130.22	-6.25	9.10	13.10	+1.50 to +3.00	-0.50 to -3.75
6.25	6.33	83.72	-6.25	8.60	8.70	+1.50 to +3.00	+4.75 to -0.25
8.50	8.60	61.62	-6.25	13.50	9.00	+1.50 to +3.00	+5.00 & above





27 & 28, Pilerne Industrial Estate, Saligao, Goa – 403511 | Tel: +91-832-6710404 | www.gkbvision.com


Product Catalog (SF Q-Shade+)

NEW LAUNCH
Q1 2026

1.53 Trivex Q-Shade+ SF Bifocal FT28-UC/HC

SF BIFOCAL TECHNICAL SPECIFICATIONS									Gray & Brown
-------------------------------------	--	--	--	--	--	--	--	--	--------------

Dia. (mm)	Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
75	2.00	1.52	349.02	-5.50	8.70	14.40	+1.00 to +3.50	-6.00 to -10.00
75	4.00	3.49	151.73	-7.00	8.30	13.50	+1.00 to +4.00	-1.00 to -5.75
75	5.00	4.47	118.48	-7.00	7.50	11.30	+1.00 to +4.00	+2.00 to -0.75
70	6.00	5.46	97.06	-7.00	10.00	12.00	+1.00 to +4.00	+2.25 to +3.50
70	8.00	7.44	71.27	-8.75	11.70	13.60	+1.00 to +3.50	+3.75 to +6.25




NEW LAUNCH
Q1 2026

1.53 Trivex Q-Shade+ SF Trifocal 7x28-UC/HC

SF TRIFOCAL TECHNICAL SPECIFICATIONS									Gray & Brown
--------------------------------------	--	--	--	--	--	--	--	--	--------------

Dia. (mm)	Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
75	2.00	1.52	349.02	-5.50	8.70	14.40	+1.50 to +3.50	-6.00 to -10.00
75	4.00	3.49	151.73	-7.00	8.30	13.50	+1.50 to +3.50	-1.00 to -5.75
75	5.00	4.47	118.48	-7.00	7.50	11.30	+1.50 to +3.50	+2.00 to -0.75
70	6.00	5.46	97.06	-7.00	10.00	12.00	+1.50 to +3.50	+2.25 to +3.50
70	8.00	7.44	71.27	-8.75	11.70	13.60	+1.50 to +3.50	+3.75 to +6.25




NEW LAUNCH
Q1 2026

1.53 Trivex Q-Shade+ SF Bifocal FT35-UC/HC

SF BIFOCAL TECHNICAL SPECIFICATIONS									Gray & Brown
-------------------------------------	--	--	--	--	--	--	--	--	--------------

Dia. (mm)	Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
75	2.00	1.52	349.02	-5.50	8.70	14.40	+1.00 to +2.50	-6.00 to -10.00
75	4.00	3.49	151.73	-7.00	8.30	13.50	+1.00 to +2.50	-1.00 to -5.75
75	5.00	4.47	118.48	-7.00	7.50	11.30	+1.00 to +2.50	+2.00 to -0.75
70	6.00	5.46	97.06	-7.00	10.00	12.00	+1.00 to +2.50	+2.25 to +3.50
70	8.00	7.44	71.27	-8.75	11.70	13.60	+1.00 to +2.50	+3.75 to +6.25




NEW LAUNCH
Q1 2026

1.53 Trivex Q-Shade+ SF Trifocal 8x35-UC/HC

SF TRIFOCAL TECHNICAL SPECIFICATIONS									Gray & Brown
--------------------------------------	--	--	--	--	--	--	--	--	--------------

Dia. (mm)	Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
75	2.00	1.52	349.02	-5.50	8.70	14.40	+1.50 to +3.00	-6.00 to -10.00
75	4.00	3.49	151.73	-7.00	8.30	13.50	+1.50 to +3.00	-1.00 to -5.75
75	5.00	4.47	118.48	-7.00	7.50	11.30	+1.50 to +3.00	+2.00 to -0.75
70	6.00	5.46	97.06	-7.00	10.00	12.00	+1.50 to +3.00	+2.25 to +3.50
70	8.00	7.44	71.27	-8.75	11.70	13.60	+1.50 to +3.00	+3.75 to +6.25





27 & 28, Pilerne Industrial Estate, Saligao, Goa – 403511 | Tel: +91-832-6710404 | www.gkbvision.com


Product Catalog (SF Q-Shade+)

1.59 Poly Q-Shade+ SF Bifocal FT28-HC

SF BIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
-------------------------------------	--------------

80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
2.00	2.03	261.08	-6.25	8.10	15.00	+1.00 to +3.50	-6.00 to -9.75
4.00	4.07	130.22	-6.25	8.80	12.60	+1.00 to +3.50	-1.50 to -5.75
5.25*	5.20	101.92	-6.25	8.60	10.50	+1.00 to +3.50	+0.50 to -1.25
6.25	6.33	83.72	-6.25	8.10	8.00	+1.00 to +3.50	+0.75 to +2.75
8.50	8.60	61.62	-7.50	9.00	6.60	+1.00 to +3.50	+3.00 to +5.50


*New - Launch Q4 2025



1.59 Poly Q-Shade+ SF Trifocal 7x28-HC

SF TRIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
--------------------------------------	--------------


80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
4.00	4.07	130.22	-6.25	8.80	12.60	+1.50 to +3.50	0.00 to -5.75
6.25	6.33	83.72	-6.25	8.10	8.00	+1.50 to +3.50	+0.25 to +2.75
8.50	8.60	61.62	-7.50	9.00	6.60	+1.50 to +3.50	+3.00 to +5.50



1.59 Poly Q-Shade+ SF Bifocal FT35-HC

SF BIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
-------------------------------------	--------------


80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
2.00	2.03	261.08	-6.25	8.10	15.00	+1.00 to +2.50	-6.00 to -9.75
4.00	4.07	130.22	-6.25	8.80	12.60	+1.00 to +2.50	0.00 to -5.75
6.25	6.33	83.72	-6.25	8.10	8.00	+1.00 to +2.50	+0.25 to +2.75
8.50	8.60	61.62	-6.25	9.00	6.60	+1.00 to +2.50	+3.00 to +5.50



1.59 Poly Q-Shade+ SF Trifocal 8x35-HC

SF TRIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
--------------------------------------	--------------

80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
4.00	4.07	130.22	-6.25	8.80	12.60	+1.50 to +3.00	0.00 to -5.75
6.25	6.33	83.72	-6.25	8.10	8.00	+1.50 to +3.00	+0.25 to +2.75
8.50	8.60	61.62	-7.50	9.00	6.60	+1.50 to +3.00	+3.00 to +5.50






27 & 28, Pilerne Industrial Estate, Saligao, Goa – 403511 | Tel: +91-832-6710404 | www.gkbvision.com

Product Catalog (SF Q-Shade+)

1.67 (MR-10) Q-Shade+⁺ SF Bifocal FT28-UC/HC

SF BIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
-------------------------------------	--------------


80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
2.00	1.99	266.33	-7.80	5.00	13.50	+1.00 to +3.50	-3.75 to -6.50
4.00	4.00	132.50	-5.70	6.50	9.00	+1.00 to +3.50	+0.25 to -3.50
6.00	6.00	88.33	-5.70	7.50	7.00	+1.00 to +3.50	0.00 to +6.00
8.00	8.03	66.00	-5.70	10.60	7.00	+1.00 to +3.50	+6.25 & above



1.67 (MR-10) Q-Shade+⁺ SF Trifocal 7x28-UC/HC

SF TRIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
--------------------------------------	--------------

80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
4.00	4.00	132.50	-5.70	6.50	9.00	+1.50 to +3.50	+0.25 to -5.50
6.00	6.00	88.33	-5.70	7.50	7.00	+1.50 to +3.50	0.00 to +6.00
8.00	8.03	66.00	-5.70	10.60	7.00	+1.50 to +3.50	+6.25 & above



1.67 (MR-10) Q-Shade+⁺ SF Bifocal FT35-UC/HC

SF BIFOCAL TECHNICAL SPECIFICATIONS	Gray & Brown
-------------------------------------	--------------

80 MM							
Base (dpt)	True Curve [1.53] (dpt)	Convex Radius (mm)	Concave Curve (dpt)	C.T. (mm)	E.T. (mm)	Addition Range (dpt)	Suggested Rx Range (dpt)
2.00	1.99	266.33	-7.80	5.00	13.50	+1.00 to +2.50	-3.75 to -6.50
4.00	4.00	132.50	-5.70	6.50	9.00	+1.00 to +2.50	+0.25 to -3.50
6.00	6.00	88.33	-5.70	7.50	7.00	+1.00 to +2.50	0.00 to +6.00
8.00	8.03	66.00	-5.70	10.60	7.00	+1.00 to +2.50	+6.25 & above

